



PigCHAMP >

# Mobile Stand-Alone

Proven. Premier. PigCHAMP.

## The Power of Knowledge in the Palm of Your Hand

Time is money when it comes to getting accurate information quickly. PigCHAMP Mobile eliminates the need for writing down information in the barn and then re-entering into a computer program, eliminating the room for error and allowing you to make the best decisions in your reproductive operation.

### Features

- Collect data electronically and transfer easily into the PigCHAMP Reproductive program
- Data validation in the barns and editing events at the time of entry helps avoid costly mistakes and ensures data accuracy
- Options to read standard RFID tags and can bar codes for enhanced speed and accuracy
- Data entry for 48 individual events including animal movements, mating, farrowing, health treatments, and batch arrivals
- Security measures for each operator and language toggle options (English, French, and Spanish)
- Provides performance reporting and individual sow histories
- Access daily action lists in the barn, including Open Sow List, Sows Due to Farrow, Sows not Served, and more



Data entry time decreased by  
15-30%  
with an average cost savings of  
\$1.45/sow/year over operating  
cost.\*

\*Results available upon request.



1-866-774-4242  
www.pigchamp.com





PigCHAMP >

# Mobile Stand-Alone

Proven. Premier. PigCHAMP.

PigCHAMP Mobile will operate on any device that uses a recent version (6.0 or above) of the Windows Mobile operating system. We can also provide the hardware shown on this page. These devices have all been proven to be rugged and dependable in sow barn conditions. Call for pricing and configuration options.

Mobile Unit Option	Nautiz X4	Workabout Pro 4
Image		
Durability	Drop: 4 ft (1.22 m) Dust: IP65 Liquid: IP65	Drop: 5 ft (1.5 m) Dust: IP65 Liquid: IP65
Number of females	10,000+	10,000+
RFID	Bluetooth Wand	Bluetooth Wand
Bar code scanner	1D Laser scanner (Honeywell N4313) or 2D Imager (Honeywell N560x - Gen6)	1D standard range laser 1; 1D extended range laser2; 1D standard range linear imager; 2D imager
Data Entry	Keypad, touchscreen	Long: Alpha-numeric keypad Short: QWERTY or alpha-numeric touchscreen
Size and weight	6.1 x 2.9 x 1.0 inch (156 x 74 x 25.5 mm)  11.6 oz (330 g)	Long: 8.78 x 2.95 in (223 x 75 mm) 16.2 oz (461 g)  Short: 7.87 x 2.95 in (200 x 75 mm) 16.2 oz (461 g)

Bluetooth RFID Tag Readers  
DSR5 Long or Short Barrel  
Configurations



PigCHAMP can also provide RFID enabled ear tag sets (EID).

**Call for competitive pricing.**



Allflex LPR Series Livestock  
Pocket Reader

